S C C C C B R A N D

recording tape



1/6 ips 3½ ips 7½ ips 1½ ips 3¾ ips 7½ ips 1200 Ft. 2 hrs. 1 hr. 30 min. 4 hrs. 2 hrs. 1 hr. 1800 Ft. 3 hrs. 1½ hrs. 45 min. 6 hrs. 3 hrs. 1½ hrs. 2400 Ft. 4 hrs. 2 hrs. 1 hr. 8 hrs. 4 hrs. 2 hrs. 3600 Ft. 6 hrs. 3 hrs. 1½ hrs. 12 hrs. 6 hrs. 3 hrs. *Double these times for 4-track monophonic recording.	THIS TAPE IS RECORDED: AT \[1\% \[3\% \[7\\ \] MONOPHONIC \[\text{(TRACKS)} \] STEREOPHONIC \[\text{(TRACKS)} \]
SEC	aller Bocche and a
De BRIEFING TARE CO45C 19 FERRINEY 65	
- Copy 2 1/3	
Control of the second of the s	
THE TERM "SCOTCH" AND THE PLAID DESIGN ARE REGISTERED TRADE- MARKS FOR MAGNETIC TAPE MADE IN U.S.A. BY MINNESOTA MINING AND MANUFACTURING COMPANY, ST. PAUL 19, MINN. NOTICE: Buyers shall determine that contents are proper kind for intended use. If defective in the manufacture, labeling or packaging, contents will be replaced. There are no other warranties, expressed or implied.	
replaced. There are no other warranties, expressed or implied. Patented under one or more U.S. patents: 2654681, 2711901.	Magnetic Products Division 300

recording tape



TIME	RECORDING ONE DIRECTION RECORDING BOTH DIRECTIONS				NG BOTH I	DIRECTIONS	THIS TAPE IS RECORDED:		
CHART	Monophonic Stereophonic Monophonic Stereophonic 1 Track 2 Tracks 2 Tracks 4 Tracks*						AT 1% 3¾ 7½		
	1% ips	31/4 ips	7½ ips	1% ips	3¾ ips	7½ ips		, <u> </u>	
1200 Ft.	2 hrs.	1 hr.	30 min.	4 hrs.	2 hrs.	1 hr.	☐ MONOPHONIC	(TRACKS)	
1800 Ft.	3 hrs.	1½ hrs.	45 min.	6 hrs.	3 hrs.	1½ hrs.	STEREOPHONIC	(TRACKS)	
2400 Ft.	4 hrs.	2 hrs.	1 hr.	8 hrs.	4 hrs.	2 hrs.		(TRACKS)	
3600 Ft.	6 hrs.	3 hrs.	1½ hrs.	12 hrs.	6 hrs.	3 hrs.			
*Double th	ese times fo	or 4-track mo	nophonic rec	ording.					
					6 8	N. M. Sanda	Mark and the second		
						Ly C.			
. •	N						on the second of the		
1 6	Tyle B	Sorre and	y mag	MP	Janes .				
. 4.	NS245	1 1	7 /	100	· .	 -			
			2 6	(A)					
. .	*	to go of		A CH	6.1				
	 		-7 mg 7 m 1	-	** **********************************				
AUTO NATIONAL DE		H. I. T. W. L. K.			a de la company		有效的 可以100%的 使用的200% 200% 200% 200% 200% 200% 200% 200%		
	Arell								
	100	<i>1</i>							
						4-			
					e var.				
				4.57	r direct				
15 PS1 21 2 23 PM C			*********						
								·	
				g ^{p, re} ct.	T. Yang				
				(C)		Mas kie a medi			

Patented under one or more U.S. patents: 2654681, 2711901.

Magnetic Products Division 300